

Neurologische aandoeningen

- O. Semler, Preliminary therapeutic results on the mobility after whole body vibration (WBV) in immobilized children and adolescents. *J. Musculoskelet Neuronal Interact* 2007; 7(1)
- I. van Nes, Short Term effect of Whole Body Vibration on postural control in unilateral chronic stroke patients. *Am J. physical med. and rehab.* 2004, V83, no11, pp867-873
- I. Rembitzki, Neurologische patienten profitieren von der propriozeptiven trainingstherapie am tiltgalileo. Martin-Haug Reha klinik Freudenstadt, Duitsland
- J. Gianutsos, The effects of Whole Body Vibration on reflex-induced standing in persons with chronic and acute spinal cord injury. *Arch Phys Med Rehabil* 2000, september 1299
- J. Gianutsos, Contribution of Whole Body Vibration to the motor rehabilitation of a 12-year old boy with quadriplegia secondary to acute disseminating encephalomyelitis. *Arch Phys Med Rehabil* 2000, september 1309
- J. Gianutsos, Use of therapeutic ranging exercise program in the rehabilitation of persons with progressive supranuclear palsy. *Arch Phys Med Rehabil* 2000, september
- J. Gianutsos, Standing induced via segmental reflex pathways of persons with spinal paralysis. *Arch Phys Med Rehabil* 2003, V84
- J. Gianutsos, Motor rehabilitation of spinal cord dysfunction by means of whole body vibration. AAPRM congres
- M. Runge, Klinische diagnostik des regelkreises Muskel-Knochen am Unterschenkel. *Osteologie* 2002, V11, N1, pp25-37.
- J. Gianutsos, Long term potentiation as a possible mechanism for vibration induced reflex standing 8 years after SCI. *Arch Phys Med Rehabil* 2004, V85, sept
- I. van Nes, Long-Term Effects of 6-Weeks Whole-Body Vibration on Balance Recovery and Activities of Daily Living in the Postacute Phase of Stroke. A Randomized, controlled trial. *Stroke*. 2006;37:2331-2335
- C. Stark, Physiotherapie und ganzkoerpervibration bei spinaler muskeltrophie typ II. HvAmsterdam afd. Fysiotherapie, Uni Koeln
- T. Curry, effects of WBV on spasticity in children with cerebral palsy. Hardin Simmons University, Abeline (USA)
- G. Ebersbach, "Whole Body Vibration versus conventional physiotherapy to improve balance and gait in Parkinson's disease" *Arch. Phys. Med Rehabil.* (89) 2008.
- C. Haas, *Postural control training in Parkinson's disease. Isokinetics and Exercise Science* 12 (2004) 11-40

Lage rugpijn

- T. Fontana, The effect of weightbearing exercise with low frequency, whole body vibration on lumbosacral proprioception: A pilot study on normal subjects. Australian Journal of Physiotherapy 2005 Vol 51
- J. Rittweger, Treatment of chronic lower back pain with lumbar extension and whole body vibration exercise. Spine 2002, V27, pp1829-1834
- J. Iwamoto, Effect of whole-body vibration exercise on lumbar bone mineral density, bone turnover, and chronic back pain in post-menopausal osteoporotic women treated with alendronate. Aging Clin Exp Res, Vol. 17, No 2
- D. Belavy, Resistive simulated weightbearing exercise with whole body vibration reduces lumbar spine deconditioning in bed-rest. Spine 33, 2008, no. 5
- P. Schmitz, Ein Vergleich zwischen seitenalternierender Muskelstimulation und apparativem Krafttraining an Geräten bezüglich Kraftzuwachs und Mobilitätsverbesserung der Rumpfmuskulatur. dissertatie Universiteit Tuebingen.

Stress-Incontinentie

- S. von der Heide, Einfluss mechanischer Schwingungen auf die muskulatur mittels Galileo2000 in kombination mit physiotherapie zur Behandlung der weiblichen Stress-inkontinenz. Universiteit Goettingen, presentatie tijdens international continence congress 2003 Florence
- *J. de Jong, The effect of WBV training on women with stress urinary incontinence. Poster congres KNGF 2005*

Cystic Fibrosis

- J. Roth, Whole body vibration in Cystic Fibrosis - a pilot study. Journal of Musculoskeletal and Neuronal Interactions 2008, 8 (2)
- S. van Koningsbruggen, Whole Body Vibration - a new therapeutic approach to improve muscle function in Cystic Fibrosis ? Universiteit Koln, in press.

Artrose

- W. Rapp, Vibrationstraining mit Gonarthrosepatienten. D. Zeitung sportmed. 2007, Heft 07/08
- A. Liphard, The potential of vibration training to affect the response of muscle, bone and cartilage during short term bed rest. J. of Biomechanics 2006, vol 39 suppl1, p196
- A. Liphard, Changes in Cartilage Morphology of the Knee after 14-days of Bed Rest. DLR, congres 2005

Osteogenesis Imperfecta

- O. Semler, Ergebnisse eine monozentrischen Studie zur verbesserung der mobilitaet und muskelfunktion bei kindern und jugendlichen mit osteogenesis Imperfecta. Osteoporose und Rheuma aktuell 2006, 2

Borstkanker

- M. Huizing, Behandeling van patienten na een borst amputatie middels Galileo vibratietherapie. Huidtherapie Hengst-Oppenuizen Heerenveen
- I. de Backer, Ontwikkeling van een trainingsprogramma voor de revalidatie van kankerpatienten na behandeling met chemotherapie. Maxima Medisch Centrum, 2004
- I de Backer, Vermoeidheid na chemotherapie, eerste effecten van een gecombineerd kracht- en duurtrainingsprogramma op de fysieke capaciteit. Medisch Journaal, V33, 4

Chronisch Vermoeidheid Syndroom (CVS)

- R. Saggini, Submaximal aerobic exercise with mechanical vibrations improves the functional status of patients with chronic fatigue syndrom. Europa Medicophysica 2006, V42, N2, pp97

Diabetes (type II)

- H. Mulder, Effect van 12 sessies (6 weken) Galileo training bij mensen met diabetes type 2. Rotterdam Research Instituut.
- *K. Baum, Efficiency of vibration exercise for glycemic control in type 2 diabetes patients. Int. J. Med. Sci. 2007, 4*
- *C. Rubin, Adipogenesis is inhibited by brief, daily exposure to high-frequency, extremely low-magnitude mechanical signals. Proc Natl Acad Sci U S A. 2007 November 6; 104(45)*

Multiple Sclerose

- *O. Schuhfried, Effects of whole-body vibration in patients with multiple sclerosis: a pilot study. Clinical Rehabilitation 2005; 19: 834*

Angiogenese, Atherosclerose

- M. Bleeker, Vascular adaptation to deconditioning and the effect of an exercise countermeasure: results of the Berlin Bed Rest Study. J. Appl Physiol 99: 1293–1300, 2005
- *Effects of Short-term Vibration and Hypoxia during High-intensity Cycling Exercise on Circulating Levels of Angiogenic Regulators in humans. J Appl Physiol (April 19, 2007).*
- *A. Oki, Frequency dependence of the suppressive effects of vibration on atherosclerosis in the rabbit. Kurume Med J 1989;36(4):161-6*

- *J Cole, reversal of lower limb venous and lymphatic pooling by passive non-invasive calf muscle pump stimulation. Conf Proc IEEE ENG Med Biol Soc 2006, 1 (1) 2875-2877*

Fysiologische effecten stofwisseling

- H. Mulder, Effect van 12 sessies (6 weken) Galileo training bij mannen met Hypogonadisme (hypo-testosteronisme). Rotterdam Research Instituut.
- M. Mulder, Invloed van Galileo training op de basale stofwisseling en effectiviteit van een dieetprogramma. Rotterdam Research Center, 2004
- *C. Rubin, Adipogenesis is inhibited by brief, daily exposure to high-frequency, extremely low-magnitude mechanical signals. Proc Natl Acad Sci U S A. 2007 November 6; 104(45)*
- K. Goto, Hormone and Lypolytic responses to WBV in young men. Jap. J. of physiol 55, 5, 2005.
- J. Rittweger, Acute physiological effects of exhaustive whole body vibration exercise in man. Clin Physiol 2000, V20, N2, pp134-142
- J. Rittweger, Oxygen uptake in whole body vibration exercise: comparison with squatting as a slow voluntary movement. Eur J Appl Physiol 2001, V86, pp169-173
- J. Rittweger, Oxygen uptake in whole body vibration exercise: influence of vibration frequency, amplitude and external load. Int J Sport Med 2002 V23, pp428-432
- A. Mark, Metabolic and cardiovascular responses during Whole Body Vibration exercise. Mc Master Universiteit, Ontario, Canada
- M. Cardinale, The effects of vibrations on human performance and hormonal profile. Thesis, Semmelweis University, Budapest 2002
- K Kerschlan-Schindl, Whole Body Vibration exercise leads to alterations in muscle blood volume. Clin Physiol. 2001 V21, N3, pp377-382
- P. Wameling, Einfluss einer neuen Form des Krafttrainings auf Safety- Parameter von kardiopulmonaler, muskulaerer und sympathoadrenerger Reaktion. Technische Universiteit Muenchen
- P. Wameling, Influence of a new form of resistance training on cardiopulmonal and muscular functional parameters as well as on sympathoadrenergic reactions. Int J Sports Med 2002, V23 Suppl2
- S. Praet, HbO2 en O2 saturatie tijdens en na vibratietraining en tijdens hardlopen. Maxima Medisch Centrum Veldhoven.
- T. Kvorning, Effects of vibration and resistance training on neuromuscular and hormonal measures. Eur J Appl Physiol (2006) 96: 615– 625
- E. Yamada, Vastus lateralis oxygenation and blood volume measured by near-infrared spectroscopy during whole body vibration. Clin Physiol Funct Imaging (2005) 25, pp203-208

EMG, spierfunctie

- D. Cochrane, Neuromuscular Responses to Two Whole Body Vibration Modalities During Dynamic Squat. *Journal of Strength and Conditioning Research*, 2005, 19(4)
- J. Rittweger, Acute changes in neuromuscular excitability after exhaustive whole body vibration exercise as compared to exhaustion by squatting exercise. *Clin Physiol Func Im* 2003, V23, N2, pp81-86
- Nishihara, Effect of Whole Body Vibration stimulus and voluntary contraction on motoneuron pool. *Adv. in Exerc. and Sports physiology* 2002, V8, N4, pp83-86
- K. Beekhuizen, Acute effects of Whole Body Vibration on soleus H-reflex. *Med. Sci Sport Exer.* 2004, V36, N5
- D. Cochrane, The acute effect of vibration exercise on concentric muscular characteristics. *J. Sci Med Sport* 2007 aug 20.
- M. Mutschelknaus, Auswirkung von ausschöpfendem WBV training auf neuromuskuläre Parameter im vergleich zu erschöpfendem kniebeugentraining. *dissertation Universiteit Berlijn*
- T. Hopkins, WBV and dynamic restraint. *Int J Sports Med* 2007, 18
- A. Abercromby, Vibration exposure and biodynamic response during WBV training. *Med Sci Sports Exerc* 2007, 39 (10) 1794-1800
- H. Eckhardt, Erhöhte myoelektrische Aktivität und gesteigerte Laktatbildung bei seitenalternierendem Vibrationstraining. *D. Zeitung sportmed.* 2007, Heft 07/08
- P. Coorevits, Onderzoek naar de oppervlakte EMG activiteit van 14 spieren tijdens WBV. *Symposium Universiteit Gent* 2004.
- M. Huizing, EMG metingen tijdens Galileo stimulatie bij verschillende frequenties en activiteiten. *Eigen onderzoek Galileo2000*

Instellingen

- H. Savelsberg, Whole Body Vibration induced adaptation in knee extensors; consequences of initial strength, vibration frequency and joint angle. *Journal of Strength and Conditioning Research*, 2007, 21(2), 589–593
- G. Berschin, Vibrationskrafttraining und Gelenkstabilität - EMG Untersuchungen zur Wirkung von Vibrationsfrequenz und Körperhaltung auf Muskelaktivierung und Koaktivierung. *D. Zeitschrift Sportmed.* 2004, V55, N6, pp152-156
- A. Abercromby, Effect of Knee Flexion Angle on Neuromuscular Responses to Whole Body Vibration. *Journal of Strength and Conditioning Research*, 2005, 19(4)
- H. Heitkamp, Aktivierung der Rückenmuskulatur bei Vibrationsübungen in Abhängigkeit von der Kniebeugung. *D. Zeitung sportmed.* 2007, Heft 07/08.
- *E. Loeberbauer, Whole Body Vibration and Training. Book of abstracts, 8th annual congress European College of Sport Science, Salzburg 2003*
- *M. Cardinale, The acute effects of two different whole body vibration frequencies on vertical jump performance. MED SPORT 2003;56:287-92*

- *J. Wakeling, Muscle activity reduces soft-tissue resonance at heel-strike during walking. J. Biomechanics 2003, V36, pp1761-1769*
- *K Boyer, Soft tissue vibrations within one soft tissue compartment. Journal of Biomechanics 39 (2006) 645-651.*
- *J. Wakeling, Task-specific recruitment of motor units for vibration damping. J Biomech. 2006;39(7):1342-6*

Veiligheid

- P. Spitzenfeil, Mechanical impact to the human body by different vibration training devices. J. of Biomechanics 2006, vol 39 supp1, p196
- A. Abercromby, Variation in neuromuscular responses during WBV exercise, Med Sci Sport Exerc 2007 39(9): 1642-1650
- J. Rittweger, Highly demanding Resistive Vibration Exercise Program is tolerated during 56 days of strict bed-rest. Int. J. Sports Med. 2006.
- H. Kleinoeder, Safety considerations in vibration training. Book of abstracts, 8th annual congress European College of Sport Science, Salzburg
- R. Cravenna, Safety of WBV exercise for heart transplant recipients. Phys Med Rehab Kuror 2003, N13, pp1-5
- J. Cronin, Muscle stiffness and injury effects of Whole Body Vibration. Physical Therapy in Sport 2004, 68-74
- B. Crewther, Gravitational forces and whole body Vibration. Physical Therapy in Sport 2004, 37-43
- H. Kleinoeder, Sicherheit und Leistungsoptimierung im Vibrationstraining. BISP jaarboek 2003.
- *Y. Matsumoto, Dynamic response of the standing human body exposed to vertical vibration. J. of Sound and Vibration 1998, V212, no1, pp85-107*
- *S. Greie, Does acute high intensity vibration training induce leg edema formation ? Book of abstracts, 8th annual congress European College of Sport Science, Salzburg 2003.*